MATERIAL SAFETY DATA SHEET

1. Product and Company Identification

Product Name

Lysol Brand (Kills 99.9% of Viruses & Bacteria) Concentrate Disinfectant

UPC CODES

Refer to section 16

CAS#

Mixture

Product use

Disinfectant

Distributed by

Reckitt Benckiser

Morris Corporate Center IV 399 Interpace Parkway

P.O. Box 225

Parsippany, NJ 07054-0225

In Case of Emergency: 1-800-228-4722 Transportation Emergencies: 24 Hour Number:

> North America: CHEMTREC: 1-800-424-9300 Outside North America: 1-703-527-3887

LEGEND HMIS/NFPA Severe 4 Serious 3 Moderate 2 Slight 1 Minimal 0





2. Hazards Identification

Emergency overview

This product is regulated by the US EPA as a disinfectant.

PRECAUTIONARY STATEMENTS: Hazards to humans and domestic animals.

DANGER

CORROSIVE. HARMFUL IF SWALLOWED. Causes irreversible eye and skin burns. Do not get in eyes or on clothing. Wear protective eyewear (goggles, face shield or safety glasses). Wear protective clothing and rubber gloves. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Avoid prolonged breathing of vapor or mist.

KEEP OUT OF REACH OF CHILDREN.

Potential short term health effects

Routes of exposure

Eye, Skin contact, Inhalation, Ingestion.

Eyes

May cause irreversible eye damage.

Skin

Causes burns.

Inhalation

Not expected to be a skin sensitizer.

None expected during normal conditions of use. Do not breathe vapour or spray mist.

Ingestion

Harmful if swallowed.

Target organs

Chronic effects

Blood. Eyes. Liver. Respiratory system. Skin.

Signs and symptoms

The finished product is not expected to have chronic health effects. The product causes burns of eyes, skin and mucous membranes.

3. Composition / Information on Ingredients

CAS#	Percent
120-32-1	2.5 - 10
310-58-3	2.5 - 10
001-31-8	10 - 20
64-17-5	1 - 2.5
67-63-0	1 - 2.5
300-71-6	1 - 2.5
(300-71-6

4. First Aid Measures

First aid procedures

Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact Eve contact

lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison

control center or doctor for treatment advice.

Remove contaminated clothing. Rinse skin immediately with plenty of water for 15-20 Skin contact

minutes. Call a poison control center or doctor for treatment advice.

Move to fresh air. If symptoms persist, call a physician. Inhalation

Call a doctor or get medical attention immediately. Do not induce vomiting or give Ingestion

anything by mouth to an unconscious person. Drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink 1 or 2 glasses of water to dilute

product. Avoid alcohol. Get medical attention.

Notes to physician General advice

Probable mucosal damage may contraindicate the use of gastric lavage.

Keep away from sources of ignition. No smoking. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Avoid contact with eyes and skin. Keep out of reach of

children. Have the product container or label with you when calling a poison control center or

doctor, or going for treatment.

5. Fire Fighting Measures

Flammable properties

Combustible by OSHA criteria.

Extinguishing media

Suitable extinguishing media

Carbon dioxide. Water spray. Dry chemical.

Unsuitable extinguishing media

Not available

Protection of firefighters

Specific hazards arising from

the chemical

Not available

Protective equipment for

firefighters

Firefighters should wear full protective clothing including self contained breathing

apparatus.

Hazardous combustion products

Explosion data

May include and are not limited to: Oxides of carbon.

Sensitivity to mechanical impact Not available Not available Sensitivity to static discharge

6. Accidental Release Measures

Personal precautions

Keep unnecessary personnel away. Do not touch or walk through spilled material. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep people away from and upwind of spill/leak.

Methods for containment

Stop leak if you can do so without risk. Prevent entry into waterways, sewers, basements or confined areas.

Methods for cleaning up

#20515

Remove sources of ignition. Before attempting clean up, refer to hazard data given above. Small spills may be absorbed with non-reactive absorbent and placed in suitable, covered, labelled containers. Prevent large spills from entering sewers or waterways. Contact emergency services and supplier for advice. Never return spills in original containers for re-use.

Issue date

08-Jul-2010

Page 2 of 9

3. Composition / Information on Ingredients

Ingredient(s)	CAS#	Percent
O-Benzyl-p-chlorophenol	120-32-1	2.5 - 10
Potassium hydroxide	1310-58-3	2.5 - 10
Coconut oil	8001-31-8	10 - 20
Ethanol	64-17-5	1 - 2.5
Isopropanol	67-63-0	1 - 2.5
Xylenol	1300-71-6	1 - 2.5

4. First Aid Measures

First aid procedures

Eve contact Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact

lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison

control center or doctor for treatment advice.

Skin contact Remove contaminated clothing. Rinse skin immediately with plenty of water for 15-20

minutes. Call a poison control center or doctor for treatment advice.

Inhalation Move to fresh air. If symptoms persist, call a physician.

Ingestion Call a doctor or get medical attention immediately. Do not induce vomiting or give

anything by mouth to an unconscious person. Drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink 1 or 2 glasses of water to dilute

product. Avoid alcohol. Get medical attention.

Notes to physician Probable mucosal damage may contraindicate the use of gastric lavage. General advice

Keep away from sources of ignition. No smoking. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Avoid contact with eyes and skin. Keep out of reach of children.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

5. Fire Fighting Measures

Flammable properties

Extinguishing media

Combustible by OSHA criteria.

Suitable extinguishing media

Carbon dioxide. Water spray. Dry chemical.

Unsuitable extinguishing media

Not available

Protection of firefighters

Specific hazards arising from

the chemical

Not available

Protective equipment for

firefighters

Firefighters should wear full protective clothing including self contained breathing

apparatus.

Hazardous combustion products

Explosion data

May include and are not limited to: Oxides of carbon.

Sensitivity to mechanical impact Not available Sensitivity to static discharge Not available

6. Accidental Release Measures

Personal precautions

Keep unnecessary personnel away. Do not touch or walk through spilled material. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep people away from and upwind of spill/leak.

Methods for containment

Stop leak if you can do so without risk. Prevent entry into waterways, sewers, basements or confined areas.

Methods for cleaning up

Remove sources of ignition. Before attempting clean up, refer to hazard data given above. Small spills may be absorbed with non-reactive absorbent and placed in suitable, covered, labelled containers. Prevent large spills from entering sewers or waterways. Contact emergency services and supplier for advice. Never return spills in original containers for re-use.

#20515 Page 2 of 9 Issue date 08-Jul-2010

7. Handling and Storage		
Handling	Avoid breathing vapors or mists of this product. Do not ingest. Do not get this material in your eyes, on your skin, or on your clothing. Wear protective eyewear (goggles, face shield or safety glasses). Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using toilet. Remove and wash contaminated clothing before reuse.	
Storage	Do not store at temperatures above 120°F (49°C). Store in original container in areas inaccessible to small children. Do not reuse container. Food contact surfaces must be rinsed with potable water. It is a violation of Federal law to use this product in a manner inconsistent with its	

8. Exposure Controls / Personal Protection

labeling.

8. Exposure Controls / Personal Protection		
Exposure limits		
Ingredient(s)	Exposure Limits	
Coconut oil	ACGIH-TLV	
	Mist: 5 mg/m3	
	OSHA-PEL	
	Not established	
Ethanol	ACGIH-TLV	
	TWA: 1000 ppm	
	STEL: 1000 ppm	
	OSHA-PEL	
	TWA: 1000 ppm	
Isopropanol	ACGIH-TLV	
	TWA: 200 ppm	
	STEL: 400 ppm	
	OSHA-PEL	
	TWA: 400 ppm	
O-Benzyl-p-chlorophenol	ACGIH-TLV	
	Not established	
	OSHA-PEL	
	Not established	
Potassium hydroxide	ACGIH-TLV	
	Ceiling: 2 mg/m3	
	OSHA-PEL	
	Not established	
(ylenol	ACGIH-TLV	
	Not established	
	OSHA-PEL	
	Not established	
ngineering controls	General ventilation normally adequate.	
ersonal protective equipment		
Eye / face protection	Avoid contact with eyes. If splashing is likely to occur or for occupational exposures, wear appropriate eye protection. When handling in large quantities or responding to emergency situations, the use of appropriate eye protections recommended.	
Hand protection	Emergency responders should wear full eye and face protection.	

Rubber gloves. Confirm with a reputable supplier first. Emergency responders should wear impermeable gloves.

Hand protection

Skin and body protection

As required by employer code.

Emergency responders should wear impermeable clothing and footwear when

responding to a situation where contact with the liquid is possible.

Respiratory protection

Not normally required under normal use conditions.

Emergency responders should wear self-contained breathing apparatus (SCBA) to avoid

inhalation of vapours generated by this product during a spill or other clean-up

operations.

General hygiene considerations

Use good industrial hygiene practices in handling this material. When using do not eat or

drink.

Washing with soap and water after use is recommended as good hygienic practice to

prevent possible eye irritation from hand contact.

9. Physical and Chemical Properties

Clear. **Appearance** Red Color

aqueous solution Form

soapy Odor

Not available Odor threshold Liquid Physical state

10.3 - 11.1 Not available Freezing point Not available **Boiling** point Not available Pour point Not available Evaporation rate

145 °F (62.77 °C) Tagliabue Flash point

Auto-ignition temperature Flammability limits in air, lower, %

by volume

Flammability limits in air, upper, %

by volume

Vapor pressure

Vapor density

Not available

Not available

Not available Not available

1.024 - 1.034 Specific gravity Not available Octanol/water coefficient Complete Solubility (H2O)

10. Stability and Reactivity

Stable under recommended storage conditions. Chemical stability

Avoid high temperatures. Conditions to avoid

DO NOT MIX WITH BLEACH or use in conjunction with other household products.

Caustics. Acids. Oxidizers. Incompatible materials

May include and are not limited to: Oxides of carbon. Hazardous decomposition products

Hazardous polymerization does not occur. Possibility of hazardous reactions

11. Toxicological Information

Component analysis - LC50 Ingredient(s)	LC50	
Coconut oil	Not available	
Ethanol	31623 ppm rat	
Isopropanol	16970 mg/l/4h rat	
O-Benzyl-p-chlorophenol	Not available	
Potassium hydroxide	Not available	
Xylenol	Not available	

08-Jul-2010 Issue date Page 4 of 9 #20515

Skin and body protection As required by employer code.

Emergency responders should wear impermeable clothing and footwear when

responding to a situation where contact with the liquid is possible.

Respiratory protection Not normally required under normal use conditions.

Emergency responders should wear self-contained breathing apparatus (SCBA) to avoid

inhalation of vapours generated by this product during a spill or other clean-up

operations.

General hygiene considerations Use good industrial hygiene practices in handling this material. When using do not eat or

drink.

Washing with soap and water after use is recommended as good hygienic practice to

prevent possible eye irritation from hand contact.

9. Physical and Chemical Properties

AppearanceClear.ColorRed

Form aqueous solution

Odor soapy
Odor threshold Not available
Physical state Liquid
pH 10.3 - 11.1
Freezing point Not available
Boiling point Not available

Boiling pointNot availablePour pointNot availableEvaporation rateNot available

Flash point 145 °F (62.77 °C) Tagliabue

Auto-ignition temperature Flammability limits in air, lower, %

by volume

Not available Not available

Flammability limits in air, upper, %

by volume

Not available

Vapor pressure Not available

Vapor density > 1

Specific gravity 1.024 - 1.034

Octanol/water coefficient Not available

Solubility (H2O) Complete

10. Stability and Reactivity

Chemical stability Stable under recommended storage conditions.

Conditions to avoid Avoid high temperatures.

DO NOT MIX WITH BLEACH or use in conjunction with other household products.

Incompatible materials Caustics. Acids. Oxidizers.

Hazardous decomposition products May include and are not limited to: Oxides of carbon.

Possibility of hazardous reactions Hazardous polymerization does not occur.

11. Toxicological Information

Component analysis - LC50Ingredient(s)LC50Coconut oilNot availableEthanol31623 ppm ratIsopropanol16970 mg/l/4h ratO-Benzyl-p-chlorophenolNot availablePotassium hydroxideNot availableXylenolNot available

	Component	analysis	Oral	LD50
--	-----------	----------	------------------------	------

Ingradiant/c)

ingredieni(s)	LD30
Coconut oil	Not available
Ethanol	3450 mg/kg mouse; 7060 mg/kg rat
Isopropanol	4396 mg/kg rat
O-Benzyl-p-chlorophenol	1700 mg/kg rat; 65 mg/kg mouse
Potassium hydroxide	214 mg/kg rat
Xylenol	Not available

Effects of acute exposure

Eye May cause irreversible eye damage.

Skin Causes burns.

Not expected to be a skin sensitizer.

Inhalation None expected during normal conditions of use.

Do not breathe vapour or spray mist.

Ingestion Harmful if swallowed.

SensitizationThe finished product is not expected to have chronic health effects.Chronic effectsThe finished product is not expected to have chronic health effects.CarcinogenicityThe finished product is not expected to have chronic health effects.

ACGIH - Threshold Limit Values - Carcinogens

Ethanol 64-17-5 A3 - Confirmed Animal Carcinogen with Unknown Relevance to Humans

Isopropanol 67-63-0 A4 - Not Classifiable as a Human Carcinogen

IARC - Group 3 (Not Classifiable)

Partition coefficient

Mobility in environmental media

Chemical fate information

Isopropanol 67-63-0 Monograph 71 [1999]; Supplement 7 [1987]; Monograph 15 [1977]

MutagenicityThe finished product is not expected to have chronic health effects.Reproductive effectsThe finished product is not expected to have chronic health effects.

TeratogenicityThe finished product is not expected to have chronic health effects.

Synergistic Materials Not available

12. Ecological Information

Ecotoxicity See below **Ecotoxicity - Freshwater Algae Data** Isopropanol 67-63-0 96 Hr EC50 Desmodesmus subspicatus: >1000 mg/L; 72 Hr EC50 Desmodesmus subspicatus: >1000 mg/L **Ecotoxicity - Freshwater Fish Species Data** Ethanol 64-17-5 96 Hr LC50 Oncorhynchus mykiss: 12.0-16.0 ml/L [static]; 96 Hr LC50 Pimephales promelas: >100 mg/L [static]; 96 Hr LC50 Pimephales promelas: 13400-15100 mg/L [flow-through] Isopropanol 96 Hr LC50 Pimephales promelas: 9640 mg/L [flow-through]; 96 Hr LC50 Pimephales 67-63-0 promelas: 11130 mg/L [static]; 96 Hr LC50 Lepomis macrochirus: >1400000 μg/L Potassium hydroxide 1310-58-3 96 Hr LC50 Gambusia affinis: 80 mg/L [static] **Xylenol** 48 Hr LC50 Cyprinus carpio: 5 mg/L [static] 1300-71-6 **Ecotoxicity - Water Flea Data** Ethanol 64-17-5 48 Hr LC50 Daphnia magna: 9268 - 14221 mg/L; 24 Hr EC50 Daphnia magna: 10800 mg/L; 48 Hr EC50 Daphnia magna: 2 mg/L [Static] Isopropanol 67-63-0 48 Hr EC50 Daphnia magna: 13299 mg/L **Xylenol** 1300-71-6 24 Hr EC50 water flea: 150 mg/L [Static] **Environmental effects** Not available Aquatic toxicity Not available Persistence / degradability Not available Bioaccumulation / accumulation Not available

Not available

Not available

Not available

13. Disposal Considerations

Waste codes

Not available

Not available

Disposal instructions

Dispose in accordance with all applicable regulations.

Waste from residues / unused

Contaminated packaging

products

Do not re-use empty containers.

Wrap in newspaper and place in trash.

Empty container can be disposed of as household trash or rinsed and recycled where

appropriate.

14. Transport Information

U.S. Department of Transportation (DOT)

UN1760 Corrosive Liquid, N.O.S., (Potassium hydroxide, Xylenols), Class 8, PG II, Re-Classed as Consumer Commodity ORM-D

Transportation of Dangerous Goods (TDG - Canada)

UN1760 Corrosive Liquid, N.O.S., (Potassium hydroxide, Xylenols), Class 8, PG II, Limited Quantity. Re-classed as Consumer Commodity/ LTD. QTY.

IMDG (Marine Transport)

UN1760 Corrosive Liquid, N.O.S., (Potassium hydroxide, Xylenols), Class 8, PG II, Limited Quantity

#20515 Page 6 of 9 Issue date 08-Jul-2010

13. Disposal Considerations

Waste codes

Not available

Not available

Disposal instructions

Dispose in accordance with all applicable regulations.

Waste from residues / unused

Contaminated packaging

products

Do not re-use empty containers.

Wrap in newspaper and place in trash.

Empty container can be disposed of as household trash or rinsed and recycled where

appropriate.

14. Transport Information

U.S. Department of Transportation (DOT)

UN1760 Corrosive Liquid, N.O.S., (Potassium hydroxide, Xylenols), Class 8, PG II, Re-Classed as Consumer Commodity ORM-D

Transportation of Dangerous Goods (TDG - Canada)

UN1760 Corrosive Liquid, N.O.S., (Potassium hydroxide, Xylenols), Class 8, PG II, Limited Quantity. Re-classed as Consumer Commodity/ LTD. QTY.

IMDG (Marine Transport)

UN1760 Corrosive Liquid, N.O.S., (Potassium hydroxide, Xylenols), Class 8, PG II, Limited Quantity

15. Regulatory Information

US Federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

Product Registration: Registered with EPA, EPA Reg. No. 777-94

U.S. - CERCLA/SARA - Hazardous Substances and their Reportable Quantities

Potassium hydroxide

1310-58-3

1000 Lb final RQ; 454 kg final RQ 1000 Lb final RQ; 454 kg final RQ

Xvlenol 1300-71-6

U.S. - CERCLA/SARA - Section 313 - Emission Reporting

67-63-0

1.0 % de minimis concentration (only if manufactured by the strong acid process, no

supplier notification)

O-Benzyl-p-chlorophenol

120-32-1

0.1 % De minimis concentration (Chemical Category N084)

U.S. - CWA (Clean Water Act) - Hazardous Substances

Potassium hydroxide

Isopropanol

1310-58-3 1300-71-6 Present Present

Xylenol U.S. - CWA (Clean Water Act) - Toxic Pollutants

O-Benzyl-p-chlorophenol

120-32-1

Present

Occupational Safety and Health Administration (OSHA)

29 CFR 1910.1200 hazardous

chemical

CERCLA (Superfund) reportable quantity

Potassium hydroxide: 1000.0000

Xylenol: 1000.0000

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - No. Reactivity Hazard - No

Section 302 extremely

hazardous substance

No

Section 311 hazardous chemical Yes

Clean Air Act (CAA)

Not available

Clean Water Act (CWA)

Not available

Issue date

U.S. - California - 8 CCR Section 339 - Director's List of Hazardous Substances

	Country(s) or region	Inventory	name	JII III
ľ	ventory status			On inv
	O-Benzyl-p-chlorophenol	120-32-1	Present	
	U.S Washington - Dangerous	waste - Dangerou	Drocont	
	Potassium hydroxide	1310-58-3	re Waste Constituents List	
	O-Benzyl-p-chlorophenol	120-32-1	Carcinogen Toxic; Flammable	
	Isopropanol	67-63-0	Toxic; Flammable	
	Ethanol	64-17-5	Toxic; Flammable	
	U.S Rhode Island - Hazardou	s Substance List		
	Xvlenol	1300-71-6	Environmental hazard	
	Potassium hydroxide	1310-58-3	Environmental hazard	
	O-Benzyl-p-chlorophenol	120-32-1	Environmental hazard; Special hazardous substance	
	Isopropanol	67-63-0	Environmental hazard	
	Ethanol	64-17-5	Present	
	U.S Pennsylvania - RTK (Righ	nt to Know) List		
	O-Benzyl-p-chlorophenol	120-32-1	Present	
	U.S Pennsylvania - RTK (Righ	ıt to Know) - Speci	al Hazardous Substances	
	Vylonol	1300-71-6	1000 Lb RQ (air); 100 lb RQ (land/water)	
	Potassium hydroxide	1310-58-3	1000 Lb RQ (air); 100 lb RQ (land/water)	
	U.S New York - Reporting of F	Releases Part 597 -	List of Hazardous Substances	
	Vulonal	1300-71-6	sn 2015	
	Potassium hydroxide	1310-58-3	sn 1571	
	Isopropanol	67-63-0	sn 1076	
	Ethanol	64-17-5	sn 0844	
	U.S New Jersey - Right to Kno	ow Hazardous Sub		
	Potassium hydroxide	1310-58-3	Present	
	Isopropanol	67-63-0	Present	
	Ethanol	64-17-5	Present	
	U.S Minnesota - Hazardous St	ubstance List		
	Xylenol	1300-71-6	Present	
	Potassium hydroxide	1310-58-3	Present	
	Isopropanol	67-63-0	Present	
	Ethanol	64-17-5	Teratogen	
	U.S Massachusetts - Right To	Know List		
	Xylenol	1300-71-6	1000 Lb final RQ; 454 kg final RQ	
	Potassium hydroxide	1310-58-3	1000 Lb final RQ; 454 kg final RQ	
	U.S Louisiana - Reportable Qu	antity List for Poll	utants	
	O-Benzyl-p-chlorophenol	120-32-1	IARC Group 2B Carcinogen	
	U.S Illinois - Toxic Air Contam			
	Xylenol	1300-71-6	Present	
	Potassium hydroxide	1310-58-3	Present	
	O-Benzyl-p-chlorophenol	120-32-1	Present	
	Isopropanol	67-63-0	Present	

Inv

Country(s) or region Inventory name On inventory (yes/no)*

United States & Puerto Rico

Toxic Substances Control Act (TSCA) Inventory

A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other Information

Disclaimer	This product should only be used as directed on the label and for the purpose intended. To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.	
Further information	19200-02201-9 - LYSOL® Brand (Kills 99.9% of Viruses & Bacteria) Concentrate Disinfectant - 12 oz Original Scent - 353773	
Issue date	08-Jul-2010	
Effective date 30-Jun-2010		
Prepared by	Reckitt Benckiser Regulatory Department 800-333-3899	
#20515	Page 8 of 9 Issue date 08-Jul-2010	

#20515

U.S. - California - 8 CCR Section 339 - Director's List of Hazardous Substances

O-E Pot	propanol Benzyl-p-chlorophenol tassium hydroxide lenol	67-63-0 120-32-1 1310-58-3 1300-71-6	Present Present Present Present
U.S	S Illinois - Toxic Air Contam	inant Carcinogens	
	Benzyl-p-chlorophenol S Louisiana - Reportable Qu	120-32-1 antity List for Pollu	IARC Group 2B Carcinogen utants
Xyl	tassium hydroxide lenol	1310-58-3 1300-71-6	1000 Lb final RQ; 454 kg final RQ 1000 Lb final RQ; 454 kg final RQ
	S Massachusetts - Right To		
	nanol	64-17-5	Teratogen
	propanol tassium hydroxide	67-63-0 1310-58-3	Present Present
	enol	1300-71-6	Present
,	S Minnesota - Hazardous Sı		
Eth	nanol	64-17-5	Present
	propanol	67-63-0	Present
Pot	tassium hydroxide	1310-58-3	Present
U.S	S New Jersey - Right to Kno	w Hazardous Subs	tance List
Eth	anol	64-17-5	sn 0844
	propanol	67-63-0	sn 1076
	assium hydroxide	1310-58-3	sn 1571
	enol	1300-71-6	sn 2015
			List of Hazardous Substances
	assium hydroxide	1310-58-3	1000 Lb RQ (air); 100 lb RQ (land/water)
	enol 5 Pennsylvania - RTK (Right	1300-71-6	1000 Lb RQ (air); 100 lb RQ (land/water)
		120-32-1	Present
	Benzyl-p-chlorophenol 5 Pennsylvania - RTK (Right		Present
	anol	64-17-5	Present
	oropanol	67-63-0	Environmental hazard
	Benzyl-p-chlorophenol	120-32-1	Environmental hazard; Special hazardous substance
	assium hydroxide	1310-58-3	Environmental hazard
	enol	1300-71-6	Environmental hazard
U.S	Rhode Island - Hazardous	Substance List	
	anol	64-17-5	Toxic; Flammable
•	propanol	67-63-0	Toxic; Flammable
	Senzyl-p-chlorophenol	120-32-1	Carcinogen
	assium hydroxide Washington - Dangerous V		Toxic; Flammable
	enzyl-p-chlorophenol	120-32-1	Present
	ry status		
Cal	untmi/al an unailan	Inventore	

Inve

Country(s) or region	Inventory name	On inventory (yes/no)*
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other Information

10. Other information		
Disclaimer	This product should only be used as directed on the label and for the purpose intended. To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.	
Further information	19200-02201-9 - LYSOL® Brand (Kills 99.9% of Viruses & Bacteria) Concentrate Disinfectant - 12 oz Original Scent - 353773	
Issue date	08-Jul-2010	
Effective date	30-Jun-2010	
Prepared by	Reckitt Benckiser Regulatory Department 800-333-3899	

Other information

For an updated MSDS, please contact the supplier/manufacturer listed on the first page of the document.

#20515