

TECHH Address:	TECH ENTERPRISES IN	C	Box:	
901 STEWART ST City:		State:	N/K Zip:	
MADISON Country:	Phone:	WI	53713-5000	
US	608–274–	3838		
Ing	redients		<u>TOP</u>	
Cas:	Х		х	
Name: NON-HAZARDOUS INGRE	Code: DIENTS	RTECS #:	Code:	
% Text: N/K	Environme	ntal Wt:		
OSHA PEL:	Other REC	Limits: N/K		
N/K	Code: M	OSHA STEL:	Code:	
ACGIH TLV: N/K		ACGIH N/P STEL:	Code:	
EPA Rpt Qty:		DOT Rpt		
Ozone Depleting Chemical:		Qty:		
	nds Data		= Health <u>TOP</u>	
LD50 LC50 Mixte				
	N/P			
Route Of Entry Inds – Inhalation:NO	Skin:NO	Ingestion	Ingestion:NO	
Carcinogenicity Inds – NTP:NO	IARC:NO	OSHA	:NO	
Health Ha	zards Acute And Chronic			
NON-TOXIC BY ORAL INGESTION, NOT A PRIMA	ARY SKIN IRRITANT & NO	T AN EYE IRRITA	NT.	
Explana	tion Of Carcinogenicity			
NONE				

Signs And Symptions Of Overexposure

NON-TOXIC BY ORAL INGESTION, NOT A PRIMARY SKIN IRRITANT & NOT AN EYE IRRITANT.

Medical Cond Aggravated By Exposure

N/K

First Aid

FLUSH W/WATER. OBTAIN MEDICAL ATTENTION IN ALL CASES.

Spill Release Procedures

PICK UP EXCESS W/ABSORBANT TYPE MATERIAL. REMAINDER CAN BE FLUSHED DOWN THE DRAIN.

Neutralizing Agent

N/K

Waste Disposal Methods

DISPOSE OF IAW/FEDERAL, STATE & LOCAL REGULATIONS.

Handling And Storage Precautions

STORE AT AMBIENT TEMP. AVOID ELEVATED/FREEZING TEMP.

Other Precautions

N/K

Explosion	Hazard Information
Flash Point Method:	
N/P	
Flash Point:	Flash Point Text: N/K
Autoignition Temp:	Autoignition Temp Text: N/A
Lower Limits: N/K	Upper Limits: N/K
	Extinguishing Media

Unusual Fire/Explosion Hazard

PRODUCT ISN'T COMBUSTIBLE NOR DOES IT SUPPORT COMBUSTION.

 Measures		Control	<u>top</u>
	Respiratory Protection		-
NONE			
NONE			
	Ventilation		
LOCAL EXHAUST			
	Protective Gloves		
NONE			
	Eye Protection		
NONE			
	Other Protective Equipme	ent	
NONE			
	Work Hygienic Practice	s	
		-	
N/K			
	Supplemental Safety and H	ealth	
N/K			
	Physical/Chemical Properties	· · · · · · · · · · · · · · · · · · ·	TO
	HCC:		
		NRC/State LIC No:	
	Net Prop WT For Ammo:		
	Boiling Point:	B.P. Text: 212F	

Melt/Freeze Pt:	M.P/F.P Text: 32F
Decomp Temp:	Decomp Text: N/K
Vapor Pres: 17	Vapor Density: <1
Volatile Org Content %: VOC Pounds/Gallon:	Spec Gravity: 1.024
voc i unius/ganon.	PH: N/K
VOC Grams/Liter:	Viscosity: N/P
Evaporation Rate & Reference: (WATER =1)	r: 1
Solubility in Water: COMPLETE	
Appearance and Odor: COLORLESS	S-TRANSPARENT W/NO ODOR.
Percent Volatiles by Volume: 97	Corrosion Rate: N/K
	Reactivity Data
Stability Indicator:	
YES	
Stability Condition To Avoid: DIRECT SUNLIG	GHT, FREEZING
Materials To Avoid: N/K	
Hazardous Decomposition Products: NONE	
Hazardous Polymerization Indicator: NO	
Conditions To Avoid Polymerization NONE	
:	
	TOP
Toxicological Information:	
N/P	
	Ecological Information
Ecological:	TOP
N/P	
1N/F	
Information	MSDS Transport <u>TOP</u>
Transport Information:	

N/P

5

	Regulatory Information	<u>top</u>
Sara Title III Information:		
N/P		
Federal Regulatory Information: N/P		
State Regulatory Information: N/P		
	Other Information	TOF
er Information:		
N/P		

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.