Reactivity: 0 - Minimal

Pers. Prot. Equip .: See Section VIII



# Spartan Chemical Company, Inc. Material Safety Data Sheet

### SECTION I: PRODUCT INFORMATION

Product Division: Product Name or Number (as it appears on label): **Janitorial ORANGE TOUGH 15** Product Number: 2215; 2216 Product/Technical Information:1-(800)-537-8990 Spartan Chemical Company, Inc. Medical Emergency: 1-(888)-314-6171 (24 hours) 1110 Spartan Drive Chemical Leak/Spil Emergency: CHEMTREC 1-(800) 424-9300 (24 hours) Maumee OH 43537 Shipping Description: Cleaning compounds, liquid, n.o.s. **HMIS Ratings:** NFPA Ratings: Health: 2 - Moderate Health: 2 - Moderate Fire: 1- Slight Fire: 1- Slight

### **SECTION II: HAZARDOUS INGREDIENTS**

Reactivity: 0 - Minimal

(Listed when present at 1% or greater, carcinogens at 0.1% or greater) All component chemicals are listed or exempted from listing on the "TSCA Inventory" of chemical substances maintained by the U.S. Environmental Protection Agency.

			Table Z-1 - A		NTP, IARC or	
Chemical Name(s)	% W	CAS Registry No.	TWA mg/m <sup>3</sup>	STEL mg/m <sup>3</sup>	CELING mg/m <sup>3</sup>	OSHA Carcinogen
Triethanolamine dodccylbenzenesulfonate	5-10	27323-41-7	Not Established	Not Established	Not Established	No
Dipropropylenc glycol monobutyl ether	5-10	29911-28-2	Not Established	Not Established	Not Established	No
Triethanolamine	1-5	102-71-6	5 (ACGIH)	Not Established	Not Established	No
Soybean oil methyl esters	1-5	67784-80-9	Not Established	Not Established	Not Established	No
d-Limonene	1-5	5989-27-5	Not Established	Not Established	Not Established	No
Alcohol ethoxylate	1-5	34398-01-1	Not Established	Not Established	Not Established	No

.

# ▼ SECTION III: PHYSICAL DATA

. . .

		Vapor Pressure:	Talanaum
Boiling Point:	212 °F		
Vapor Density (AIR - 1):	Unknown	Solubility in Water:	Complete
pH;	8.5-9.0	Specific Gravity (H <sub>2</sub> O=1):	0.995
Evaporation Rate (but.acc1):	<1	Percent Solid by Weight:	15-20
Physical State:	Liquid		
	Clear orange liquid, Orange fragrance		

## **SECTION IV: FIRE & EXPLOSIVE HAZARD DATA**

Flash Point:	210°F	Method Used:	ASTM-D56
Flammable Limits:	Not Established	Flame Extension:	N/A
Extinguishing Media:	Water, carbon dioxide or dry chemical.		
	Wear NIOSH approved self-contained breathing apparatus and protective clothing. Cool fire-exposed containers with water spray.		
Unusual Fire & Explosive Hazards:	Combustion products are toxic.		

# SECTION V: HEALTH HAZARD DATA

Threshold Limit Value:	Not Established		Inhalation, Skin Contact, Eyes & Oral
Conditions to Avoid:	Causes eye irritation: Symptoms Causes skin Irritation: Symptoms Harmful if swallowed: Symptoms Breathing product vapors or mis include nasal discomfort and coug Contains d-limonene and triethand contact. Repeated overexposure to tri Avoid contact with eyes, skin ar not swallow. Use with adequate	s may include redness, pain au may include pain, nausea, vo st may cause respiratory irri hing. Mamine which may cause skin icthanolamine may cause liver an od clothing. Avold breathing	nd swelling. miting and diarrhea. tation: Symptoms may sensitization with repeated d kidney damage. product vapors or mists. Do
Conditions Aggravated by Use:	Use of this product may aggravate pre dermatitis.	existing skin; eye and respiratory	disorders including asthma and
<b>Emergency &amp; First Aid Procedures:</b>			
Eyes:	Flush eyes with plenty of water for at	least 15 minutes. Remove contac	t lenses. Get medical attention.
Skin:	Remove contaminated clothing. Flush irritation persists. Wash contaminated	skin with water for at least 15 m clothing before reuse.	inutes. Get medical attention if
Ingestion:	Do not induce vomiting. Drink one or not give anything by mouth to an unce	two glasses of water to dilute promscious person.	educt, Get medical attention. Do
Inhalation:	Move person to fresh air. Get medical	attention if irritation persists.	

### SECTION VI: REACTIVITY DATA

1 - E.

Stability: Stable	Incompatible Materials. Strong acids and oxidizing agents
Siability, Siable	
Hazardous Decomposition Products: Carbon dioxide, carbon monoxide	Hazardous Polymerization: Will Not Occur

### ▼ SECTION VII: SPILL OR LEAK PROCEDURES

	Dike and contain spill with inert material (sand, earth, commercial absorbent, etc.) and transfer to
Material is Released or Spilled:	containers for disposal. Keep spill out of storm sewers and waterways.
Waste Disposal Method:	Dispose of in compliance with all federal, state and local laws and regulations.

### ▼ SECTION VIII: SPECIAL PROTECTION INFORMATION

-	Not normally required when good general ventilation is provided. However if exposure limits are exceeded (see Section II) or if respiratory irritation occurs, the use of a NIOSH approved respirator suitable for the use-conditions and chemicals listed in Section II should be considered.
Ventilation:	Provide good general ventilation. Local exhaust ventilation may be necessary for some operations.
	Rubber or other impervious gloves. Splash goggies are recommended to prevent eye contact.
	See 29 CFR 1910.132-138 for further guidance.

### **SECTION IX: SPECIAL PRECAUTIONS**

Other Precautions: Keep out of reach of children	Precautions, Handling & Storing:	Kcep container tightly closed. Store in a cool, dry area. Do not freeze. Do not store above 120°F. Do not mix with other chemicals.
		Keep out of reach of children

 

 © SCC 06/30/2005 ORANGE TOUGH 15
 Name:
 Ronald T. Cook
 Title:
 Manager, Regulatory Affairs

 CRANGE TOUGH 15
 Effective Date:
 06/30/2005
 Supercedes:
 01/01/2005

 Ref: 29 CFR 1910.1200 (OSHA)
 Changes:
 Update Section IX
 Update Section IX

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained herein. Actual conditions of use and handling are beyond sellers control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State and Local laws and regulations.