

SECTION I: PRODUCT INFORMATION

Product Name or Number (as it appears on label): Product Division: M*95 Janitorial

Product Number: 7115; 7495 Spartan Chemical Company, Inc. 1110 Spartan Drive

Product/Technical Information: **1-(800)-537-8990** Medical Emergency: **1-(888)-314-6171 (24 hours)** Chemical Leak/Spil **CHEMTREC 1-(800) 424-9300 (24** Emergency: **hours**)

Maumee OH 43537

ide nos 8 UN 1760 III

Shipping Corrosive liquids, n.o.s., 8, UN 1760, III, (contains hydrochloric Description: (muriatic) acid)			
NFPA Ratings:		HMIS Ratings:	
Health:	3 - Serious		3 - Serious; Chronic Hazard
Fire:	0 - Minimal	Fire:	0 - Minimal
Reactivity:	0 - Minimal	Reactivity:	0 - Minimal
		Pers. Prot.	See Section VIII
		Equip.:	

▼SECTION II: HAZARDOUS INGREDIENTS

(Listed when present at 1% or greater, carcinogens at 0.1% or greater) All component chemicals are listed or exempted from listing on the "TSCA Inventory" of chemical substances maintained by the U.S. Environmental Protection Agency.

			Table Z- 1 - A			NTP,
	0/ 11/	CAS Registry	TWA	STEL	CELING	IARC or OSHA
Chemical Name(s)	% W	No.	mg/m	mg/m	mg/m	Carcinogen
*Hydrochloric acid	5-10	7647-01-0	Not Established	Not Established	7	No

Comment: *This substance is subject to the reporting requirements of Section 313 of the

Emergency Planning and Community Right-To-Know Act of 1986 (SARA) and of 40 CFR 372.

SECTION III: PHYSICAL DATA

Boiling Point:	210-212 °F	Vapor Pressure:	Undetermined	
Vapor Density (AIR	Unknown	Solubility in	Complete	
= 1):		Water:		
pH:	< 1	Specific Gravity	1.04	
		(H ₂ O=1):		
Evaporation Rate	<1	Percent Solid by	< 1-2	
(but.ace.=1):		Weight:		
Physical State:	Liquid			
Appearance & Odor: Opaque green liquid, pine fragrance				

▼SECTION IV: FIRE & EXPLOSIVE HAZARD DATA

Flash Point:	> 212°F	Method Used:	ASTM-D56
Flammable Limits:	Not Established	Flame Extension:	N/A
Extinguishing Media	Product does not supp appropriate for surrou		e extinguishing media
1 0 0	Wear NIOSH approved self-contained breathing apparatus and protective clothing. Cool fire-exposed containers with water spray.		
	Combustion products release hydrogen, an e		on on most metals may

▼SECTION V: HEALTH HAZARD DATA

Threshold Limit I Value:	Not Established	Primary Routes of Entry:	Inhalation, Skin Contact, Eyes & Oral
Overexposure-	CORROSIVE. CAUSES IRREVER BURNS: Symptoms I tissue damage. Harmf MAY BE FATAL IF include nausea, vomit INHALATION OF IRRITATION OF B TRACT. Breathing v difficulty breathing. Do not get in eyes on Avoid breathing pro	nay include pain, re ul if absorbed throu SWALLOWED. S ing, pain and diarrh VAPORS OR MIS IARM TO THE RI apors or mist may c skin or clothing. I	idness, swelling and gh the skin. Symptoms may ea. F MAY CAUSE ESPIRATORY ause coughing and Do not swallow.
Conditions Aggravated by Use:	with soap and water Use of this product m respiratory disorders i	ay aggravate preexis	
Emergency & First Aid		0]
Eyes:	Flush eyes with water lenses. Get medical at		tes. Remove contact
	Remove contaminated plenty of water for at 1 irritation persists. Was	least 15 minutes. Ge	et medical attention if
J	Get immediate medica Drink one or two glass		induce vomiting. e product. Do not give

anything by mouth to an unconscious person.
Move person to fresh air. Get medical attention if irritation persists.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

SECTION VI: REACTIVITY DATA

Stability: Stable	Incompatible Strong alkalis; Materials: hypochlorites (bleach)
	ammonia; cyanides.
Hazardous HCL, CO, CO	Hazardous Will Not Occur
Decomposition 2 H	Polymerization:
Products:	

SECTION VII: SPILL OR LEAK PROCEDURES

Steps to be Taken in	Small spills of one quart or less may be flushed with plenty of
Case	water to sanitary sewer system (If permitted by local sewer
	regulations). Dike and contain larger spills with inert material
Spilled:	and transfer liquid to containers for recovery or disposal.
Waste Disposal	Dispose of in compliance with all federal, state and local laws
Method:	and regulations.

SECTION VIII: SPECIAL PROTECTION INFORMATION

Protection:	Not normally required when good general ventilation is provided. However, if exposure limits (see Section II) are exceeded or respiratory irritation occurs, use of a NIOSH approved respirator suitable for the use-conditions and chemicals in Section II should be considered.
	Provide good general ventilation. Local exhaust ventilation may be necessary for some operations.
Protective Gloves (Specify Type):	Rubber or neoprene gloves are recommended.
Eye Protection (Specify Type):	Splash goggles are recommended to prevent eye contact.
Equipment:	Acid resistant aprons and boots are recommended where body or foot contact is likely. Eye wash stations and washing facilities should be readily accessible. See 29 CFR 1910.132- 138.

SECTION IX: SPECIAL PRECAUTIONS

& Storing:	Keep out of reach of children. Do not contaminate water, food or feed by storage or disposal. Keep from freezing. Do not use with other chemicals. Mixtures of this product with other chemicals, particularly those containing chlorine bleach or ammonia may result in the production of toxic gases, fire or explosion.
	California Proposition 65: WARNING: This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm.

© SCC 04/09/2004	Name:	Ronald T. Cook	Title:	Manager, Regulatory Affairs
M*95	Effective Date:	04/09/2004	Supercede	s:10/27/2000
Ref: 29 CFR 1910.1200 (OSHA)	Changes:	Update Sections I, I	I, III, IV, V,	, VI, VII, VIII & IX

This document has been prepared using data from sources considered technically reliable.

It does not constitute a warranty, express or implied, as to the accuracy of the information contained herein. Actual conditions of use and handling are beyond sellers control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State and Local laws and regulations.