
**Safety Information TOP** FSC: **MSDS Date: MSDS Num: BVCSW** 9150 02/23/1989 LIIN: **Status CD: Submitter: Tech Review:** N EN 00N049305 03/09/1994  $\mathbf{C}$ **Product ID:** MFN: RAIL LUBE 01 **Article: Kit Part:** N N Cage: Responsible Party 07161 Name: NYLUBE PRODUCTS CO Address: 2299 STAR COURT City: State: Zip: ROCHESTER HILLS MI 48309 **Country:** US **Info Phone Number:** 313-852-6500 Emergency Phone Number: 313-852-6500 **Radioactive Ind:** N Preparer's Name: N/P **Proprietary Ind:** Review Ind: N N Published: Y Special Project CD: N Contractor Summary = Cage: Name: 07161 NYLUBE PRODUCTS CO Address: 2299 STAR COURT City: State: Zip: ROCHESTER MI 48309 HILLS **Phone:** US 313-852-6500 <u>TOP</u> Ingredients



LD50 LC50 Mixture

NONE SPECIFIED BY MANUFACTURER.

Route Of Entry Inds – Inhalation: YES Skin: YES Ingestion: YES

Carcinogenicity Inds – NTP:NO IARC:NO OSHA:NO

Health Hazards Acute And Chronic

EYES: TRANSIENT IRRITATION. SKIN: TRANSIENT IRRITATION; PROLONGED OR REPEATED CONTACT MAY CAUSE VARIOUS SKIN DISORDERS SUCH AS DERMATITIS, FOLLICULITIS, OIL ACNE. INHAL: PULMONARY IRRITATION, DIZZINES S, NAUSEA. OVEREXP: PERSISTENT IRRITATION.

**Explanation Of Carcinogenicity** 

NOT RELEVANT

Signs And Symptions Of Overexposure

SEE HEALTH HAZARDS.

Medical Cond Aggravated By Exposure

NONE SPECIFIED BY MANUFACTURER.

First Aid

EYE: FLUSH WITH WATER FOR AT LEAST 15 MINUTES W/LID OPEN. INGEST: DO NOT INDUCE VOMITING; SEEK MEDICAL AID IF LARGE QTY ARE TAKEN. SKIN: REMOVE CONTAMD CLTHG, WIPE OFF EXCESS GEL, WASH SKIN WELL W/SOA P & WATER. INHAL: MOVE TO FRESH AIR, PROVIDE OXYGEN, SEEK MED AID IF BRTHG STOPS/DOES NOT IMPROVE.

Spill Release Procedures

WIPE AWAY EXCESS, WASH AFFECTED AREA WITH SOAP AND WATER AS AREA WILL BE SLIPPERY AND DISPOSE OF EXCESS PROPERLY.

**Neutralizing Agent** 

NONE SPECIFIED BY MANUFACTURER.

Waste Disposal Methods

CONSULT REGULATIONS FOR LOCAL AREA. DO NOT POUR DOWN DRAIN. DISPOSE OF I/A/W FEDERAL, STATE AND LOCAL REGULATIONS (FP N).

**Handling And Storage Precautions** 

USE IN WELL VENTED AREAS TO AVOID ACCUMULATIONS OF VAPS.

Other Precautions

NONE SPECIFIED BY MANUFACTURER.

Explosion Hazard Information	
Flash Point Method:	
N/P	
Flash Point:	Flash Point Text: 320F,160C
Autoignition Temp:	Autoignition Temp Text: N/A
Lower Limits: N/A	Upper Limits: N/A

Extinguishing Media

CARBON DIOXIDE, FOAM, WATER FOG, DRY CHEMICAL.

Fire Fighting Procedures

WEAR NIOSH/MSHA APPROVED SCBA AND FULL PROTECTIVE EQUIPMENT (FP N). DO NOT USE DIRECT STREAM OF WATER SINCE PRODUCT CAN FLOAT/MAY FROTH.

## Unusual Fire/Explosion Hazard

## NONE SPECIFIED BY MANUFACTURER.

Measures TOP
Respiratory Protection
USE NIOSH/MSHA APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE OF CONCERN (FP N).
Ventilation
VENT SYS WHEN VAPS CAN REACH HIGH CONC.
Protective Gloves
IMPERVIOUS GLOVES (FP N).
Eye Protection
ANSI APPRVD CHEM WORKERS GOGGS (FP N).
Other Protective Equipment
NONE SPECIFIED BY MANUFACTURER.
Work Hygienic Practices
NONE SPECIFIED BY MANUFACTURER.
Supplemental Safety and Health
NONE SPECIFIED BY MANUFACTURER.
Physical/Chemical Properties  Tu
HCC:
NRC/State LIC No:
Net Prop WT For Ammo:
Boiling Point: B.P. Text: 550F,288C
Melt/Freeze Pt: M.P/F.P Text: N/A

Decomp Temp:

Decomp Text: N/K

Vapor Pres: N/A Vapor Density: N/K Volatile Org Content %: Spec Gravity: 0.88 **VOC Pounds/Gallon:** PH: N/K VOC Grams/Liter: Viscosity: N/P Evaporation Rate & Reference: NOT APPLICABLE Solubility in Water: NEGLIGIBLE Appearance and Odor: LIGHT BROWN GEL; SLIGHT ODOR Percent Volatiles by Volume: <1 Corrosion Rate: N/K ==== Reactivity Data <u>TOP</u> **Stability Indicator:** YES Stability Condition To Avoid: HEAT, OPEN FLAME, OXIDIZING MATERIAL. Materials To Avoid: STRONG OXIDIZERS. Hazardous Decomposition Products: CARBON MONOXIDE AND OTHER ORGANIC COMPOUNDS. Hazardous Polymerization Indicator: NO Conditions To Avoid Polymerization NOT RELEVANT = Toxicological Information **TOP Toxicological Information:** N/P **Ecological Information** TOP **Ecological:** N/P = MSDS Transport TOP Information ====== **Transport Information:** N/P **Regulatory Information TOP** 

N/P Federal Regulatory Information: N/P State Regulatory Information: N/P = Other Information <u>TOP</u> **Other Information:** N/P HAZCOM Label <u>TOP</u> **Print Labels Product ID: RAIL LUBE** Cage: 07161 Assigned IND: N **Company Name:** NYLUBE PRODUCTS CO Street: 2299 STAR COURT PO Box: City: State: MI Zipcode: 48309 ROCHESTER HILLS Country: US **Health Emergency Phone:** 313-852-6500 **Label Required IND:** Y Date Of Label Review: 03/04/1994 Status Code: C MFG Label NO: Label Date: 03/04/1994 Year Procured: **Origination Code:** G Chronic Hazard IND: N Eye Protection IND: YES Skin Protection IND: YES Signal Word: CAUTION Respiratory Protection YES IND: **Health Hazard:** 

**Sara Title III Information:** 

Slight

Contact Hazard: Slight Fire Hazard:

Slight

Reactivity Hazard: None

**Hazard And Precautions** 

AVOID ACCUMULATION OF VAPORS. ACUTE: EYES: TRANSIENT IRRITATION. SKIN: TRANSIENT IRRITATION. INHAL: PULMONARY IRRITATION, DIZZINESS AND NAUSEA. CHRONIC: NONE LISTED BY MANUFACTURER.

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whategover expressly or implied warrants states or

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.